IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA • 909-472-4100 • 909-472-4244 • www.iapmort.org









CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: February 2018 -Rev. 3/9/2018- Void After: February 2019

Product: Cross-Linked Polyethylene (PEX) Pressure File No. 9001

Pipe, 1/2 In. (12 mm) Through 3 In. (76 mm),

for Water Service

Issued To: Cash Acme/reliance Worldwide

2400 7th Ave. Sw Cullman, AL 35055

Identification: Pipe shall be permanently and legibly marked with the manufacturer's name or

trademark, standard designations ANSI/AWWA C904 and CSA B137.5 (or PEX), material designation, pressure rating and temperature for which the pressure rating is valid, nominal size, production code, and intended service. Marking shall be spaced at intervals of not more than 5 feet (1.5 m). Products shall

also bear the cUPC® certification mark.

Characteristics: Cross-linked polyethylene (PEX) pressure pipe that is outside diameter

controlled, made in standard thermoplastic pipe dimension ratios (SDR 9), and pressure class 160 psi (1.10~Mpa) rated for water at 73.4°F (23°C) . To be installed in accordance with the manufacturer's instructions. and the latest

edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Chairman, Product Certification Committee

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.





IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

-Rev. 3/9/2018- Void After: February 2019

Product: Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In.

File No. 9001

(12 mm) Through 3 In. (76 mm), for Water Service

Issued To: Cash Acme/reliance Worldwide

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada



IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

-Rev. 3/9/2018- Void After: February 2019

Product: Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In.

File No. 9001

(12 mm) Through 3 In. (76 mm), for Water Service

Issued To: Cash Acme/reliance Worldwide

MODELS:

Cash Acme™ & SharkBite™

Model No.

SDR9 PEX 5106 & 5306

3/4" Blue, Red, & White 1" Blue, Red, & White 1-1/4" Blue, Red, & White 1-1/2" Blue, Red, & White 2" Blue, Red, & White

SDR9 PEX 5006

3/4" Blue, Orange, Red, & White 1" Blue, Orange, Red, & White